

# 取扱商品 カタログ



**藤田金属株式会社**

新潟鋼板センター 形鋼倉庫

## 等辺山形鋼

寸法(mm)	単位重量	長さ(m)							
		5.5	6	7	8	9	10	11	12
t x A x B	kg/m								
3x20x20	0.885	4.87	5.31						
3x25x25	1.12	6.16	6.72						
3x30x30	1.36	7.48	8.16						
5x30x30	2.16	11.9	13.0						
3x40x40	1.83	10.1	11.0						
5x40x40	2.95	16.2	17.7						
4x45x45	2.74	15.1	16.4						
4x60x60	3.68	20.2	22.1						
5x60x60	4.55	25.0	27.3						
8x50x50	5.78	31.8	34.7						
4x50x50	3.06	16.8	18.4						
5x50x50	3.77	20.7	22.6						
6x50x50	4.43	24.4	26.6	31.0	35.4	39.9	44.3	48.7	53.2
6x65x65	5.91	32.5	35.5	41.4	47.3	53.2	59.1	65.0	70.9
6x75x75	6.85	37.7	41.1	48.0	54.8	61.6	68.5	75.4	82.2
9x75x75	9.96	54.8	59.8	69.7	79.7	89.6	99.6	110	120
8x65x65	7.66	42.1	46.0	53.6	61.3	68.9	76.6	84.3	91.9
12x75x75	13.0	71.5	78.0	91.0	104	117	130	143	156
7x90x90	9.59	52.7	57.5	67.1	76.7	86.3	95.9	105	115
10x90x90	13.3	73.2	79.8	93.1	106	120	133	146	160
13x90x90	17.0	93.5	102	119	136	153	170	187	204
7x100x100	10.7	58.8	64.2	74.9	85.6	96.3	107	118	128
10x100x100	14.9	82.0	89.4	104	119	134	149	164	179
13x100x100	19.1	105	115	134	153	172	191	210	229
8x120x120	14.7	80.9	88.2	103	118	132	147	162	176
9x130x130	17.9	98.4	107	125	143	161	179	197	215
12x130x130	23.4	129	140	164	187	211	234	257	281
15x130x130	28.8	158	173	202	230	259	288	317	346
12x150x150	27.3	150	164	191	218	246	273	300	328
15x150x150	33.6	185	202	235	269	302	336	370	403
19x150x150	41.9	230	251	293	335	377	419	461	503
12x175x175	31.8	175	191	223	254	286	318	350	382
15x175x175	39.4	217	236	276	315	355	394	433	473
15x200x200	45.3	249	272	317	362	408	453	498	544
20x200x200	59.7	328	358	418	478	537	597	657	716
25x200x200	73.6	405	442	515	589	662	736	810	883



カラー山形鋼も取扱しております

## 不等辺山形鋼

寸法(mm) t x A x B	単位重量 kg/m	長さ(m)							
		5.5	6	7	8	9	10	11	12
6x50x75	5.67	31.2	34.0						
6x75x90	7.56	41.6	45.4						
9x75x90	11.0	60.5	66.0						
7x75x100	9.32	51.3	55.9	65.2	74.6	83.9	93.2	103	112
10x75x100	13.0	71.5	78.0	91.0	104	117	130	143	156
13x75x100	16.5	90.8	99.0	116	132	148	165	182	198
7x75x125	10.7	58.8	64.2	74.9	85.6	96.3	107	118	128
10x75x125	14.9	82.0	89.4	104	119	134	149	164	179
13x75x125	19.1	105	115	134	153	172	191	210	229
10x90x125	16.1	88.6	96.6	113	129	145	161	177	193
13x90x125	20.6	113	124	144	165	185	206	227	247
9x90x150	16.4	90.2	98.4	115	131	148	164	180	197
12x90x150	21.5	118	129	150	172	194	215	236	258
9x100x150	17.1	94.0	103	120	137	154	171	188	205
12x100x150	22.4	123	134	157	179	202	224	246	269
15x100x150	27.7	152	166	194	222	249	277	305	332

## 溝形鋼

寸法(mm) t x H x B	単位重量 kg/m	長さ(m)							
		5.5	6	7	8	9	10	11	12
5x40x75	6.92	38.1	41.5	48.4	55.4	62.3	69.2	76.1	83.0
5x50x100	9.36	51.5	56.2	65.5	74.9	84.2	93.6	103	112
6x65x125	13.4	73.7	80.4	93.8	107	121	134	147	161
6.5x75x150	18.6	102	112	130	149	167	186	205	223
9x75x150	24.0	132	144	168	192	216	240	264	288
7x75x180	21.4	118	128	150	171	193	214	235	257
7.5x80x200	24.6	135	148	172	197	221	246	271	295
8x90x200	30.3	167	182	212	242	273	303	333	364
9x90x250	34.6	190	208	242	277	311	346	381	415
11x90x250	40.2	221	241	281	322	362	402	442	482
9x90x300	38.1	210	229	267	305	343	381	419	457
10x90x300	43.8	241	263	307	350	394	438	482	526
12x90x300	48.6	267	292	340	389	437	486	535	583
10.5x100x380	54.5	300	327	382	436	490	545	600	654
13x100x380	67.3	370	404	471	538	606	673	740	808



## 平鋼

寸法(mm) txb	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
3x 9	0.212	1.17	1.27
3x 13	0.306	1.68	1.84
3x 16	0.377	2.07	2.26
3x 19	0.447	2.46	2.68
3x 22	0.518	2.85	3.11
3x 25	0.589	3.24	3.53
3x 32	0.754	4.15	4.52
3x 38	0.895	4.92	5.37
3x 44	1.04	5.72	6.24
3x 50	1.18	6.49	7.08
3x 65	1.53	8.42	9.18
3x 75	1.77	9.74	10.6
3x 90	2.12	11.7	12.7
3x100	2.36	13.0	14.2
3x125	2.94	16.2	17.6
3x150	3.53	19.4	21.2
4.5x 13	0.459	2.52	2.75
4.5x 16	0.565	3.11	3.39
4.5x 19	0.671	3.69	4.03
4.5x 22	0.777	4.27	4.66
4.5x 25	0.883	4.86	5.30
4.5x 32	1.13	6.22	6.78
4.5x 38	1.34	7.37	8.04
4.5x 44	1.55	8.52	9.30
4.5x 50	1.77	9.74	10.6
4.5x 60	2.12	11.7	12.7
4.5x 65	2.30	12.6	13.8
4.5x 75	2.65	14.6	15.9
4.5x 90	3.18	17.5	19.1
4.5x100	3.53	19.4	21.2
4.5x125	4.42	24.3	26.5
4.5x150	5.30	29.2	31.8
6x 13	0.612	3.37	3.67
6x 16	0.754	4.15	4.52
6x 19	0.895	4.92	5.37
6x 22	1.04	5.72	6.24
6x 25	1.18	6.49	7.08
6x 32	1.51	8.30	9.06
6x 38	1.79	9.84	10.7
6x 44	2.07	11.4	12.4
6x 50	2.36	13.0	14.2
6x 60	2.83	15.6	17.0
6x 65	3.06	16.8	18.4
6x 70	3.30	18.2	19.8
6x 75	3.53	19.4	21.2
6x 80	3.77	20.7	22.6
6x 90	4.24	23.3	25.4
6x100	4.71	25.9	28.3
6x110	5.18	28.5	31.1
6x125	5.89	32.4	35.3
6x150	7.06	38.8	42.4
9x 16	1.13	6.22	6.78
9x 19	1.34	7.37	8.04
9x 22	1.55	8.52	9.30

寸法(mm) txb	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
9x 25	1.77	9.74	10.6
9x 32	2.26	12.4	13.6
9x 38	2.68	14.7	16.1
9x 44	3.11	17.1	18.7
9x 50	3.53	19.4	21.2
9x 60	4.24	23.3	25.4
9x 65	4.59	25.2	27.5
9x 70	4.95	27.2	29.7
9x 75	5.30	29.2	31.8
9x 80	5.65	31.1	33.9
9x 90	6.36	35.0	38.2
9x100	7.06	38.8	42.4
9x110	7.77	42.7	46.6
9x120	8.48	46.6	50.9
9x125	8.83	48.6	53.0
9x150	10.6	58.3	63.6
12x 20	1.88	10.3	11.3
12x 22	2.07	11.4	12.4
12x 25	2.36	13.0	14.2
12x 32	3.01	16.6	18.1
12x 38	3.58	19.7	21.5
12x 44	4.14	22.8	24.8
12x 50	4.71	25.9	28.3
12x 60	5.65	31.1	33.9
12x 65	6.12	33.7	36.7
12x 70	6.59	36.2	39.5
12x 75	7.06	38.8	42.4
12x 80	7.54	41.5	45.2
12x 90	8.48	46.6	50.9
12x100	9.42	51.8	56.5
12x110	10.4	57.2	62.4
12x120	11.3	62.2	67.8
12x125	11.8	64.9	70.8
12x150	14.1	77.6	84.6
16x 25	3.14	17.3	18.8
16x 32	4.02	22.1	24.1
16x 38	4.77	26.2	28.6
16x 44	5.53	30.4	33.2
16x 50	6.28	34.5	37.7
16x 60	7.54	41.5	45.2
16x 65	8.16	44.9	49.0
16x 70	8.79	48.3	52.7
16x 75	9.42	51.8	56.5
16x 80	10.0	55.0	60.0
16x 90	11.3	62.2	67.8
16x100	12.6	69.3	75.6
16x110	13.8	75.9	82.8
16x125	15.7	86.4	94.2
16x150	18.8	103	113
19x 25	3.73	20.5	22.4
19x 32	4.77	26.2	28.6
19x 38	5.67	31.2	34.0
19x 44	6.56	36.1	39.4
19x 50	7.46	41.0	44.8

## 平鋼

寸法(mm) txb	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
19x 60	8.95	49.2	53.7
19x 65	9.69	53.3	58.1
19x 70	10.4	57.2	62.4
19x 75	11.2	61.6	67.2
19x 80	11.9	65.4	71.4
19x 90	13.4	73.7	80.4
19x100	14.9	82.0	89.4
19x110	16.4	90.2	98.4
19x125	18.6	102	112
19x150	22.4	123	134
22x 38	6.56	36.1	39.4
22x 44	7.60	41.8	45.6
22x 50	8.64	47.5	51.8
22x 65	11.2	61.6	67.2
22x 70	12.1	66.6	72.6
22x 75	13.0	71.5	78.0
22x 80	13.8	75.9	82.8
22x 90	15.5	85.2	93.0
22x100	17.3	95.2	104
22x110	19.0	104	114
22x125	21.6	119	130
22x150	25.9	142	155
25x 32	6.28	34.5	37.7
25x 38	7.46	41.0	44.8
25x 50	9.81	54.0	58.9
25x 65	12.8	70.4	76.8
25x 75	14.7	80.8	88.2
25x 90	17.7	97.4	106
25x100	19.6	108	118
25x125	24.5	135	147
25x150	29.4	162	176
28x 50	11.0	60.5	66.0
28x 65	14.3	78.6	85.8
28x 75	16.5	90.8	99.0
28x 90	19.8	109	119
28x100	22.0	121	132
28x125	27.5	151	165
28x150	33.0	182	198
32x 50	12.6	69.3	75.6
32x 65	16.3	89.6	97.8
32x 75	18.8	103	113
32x 90	22.6	124	136
32x100	25.1	138	151
32x125	31.4	173	188
32x150	37.7	207	226
36x 50	14.1	77.6	84.6
36x 65	18.4	101	110
36x 75	21.2	117	127
36x100	28.3	156	170
36x125	35.3	194	211
38x 50	14.9	82.0	89.4
38x 65	19.4	107	116
38x 75	22.4	123	134

## ワイド平鋼

寸法(mm) txb	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
6x160	7.54		45.2
6x165	7.77		46.6
6x170	8.01		48.1
6x175	8.24		49.4
6x180	8.48		50.9
6x190	8.95		53.7
6x200	9.42		56.5
6x230	10.8		64.8
6x240	11.3		67.8
6x250	11.8		70.8
6x300	14.1		84.6
6x350	16.5		99.0
9x160	11.3		67.8
9x165	11.7		70.2
9x170	12.0		72.0
9x175	12.4		74.4
9x180	12.7		76.2
9x190	13.4		80.4
9x200	14.1		84.6
9x230	16.2		97.2
9x240	17.0		102
9x250	17.7		106
9x285	20.1		121
9x300	21.2		127
9x350	24.7		148
9x400	28.3		170
12x160	15.1		90.6
12x165	15.5		93.0
12x170	16.0		96.0
12x175	16.5		99.0
12x180	17.0		102
12x185	17.4		104
12x190	17.9		107
12x200	18.8		113
12x230	21.7		130
12x240	22.6		136
12x250	23.6		142
12x285	26.8		161
12x300	28.3		170
12x350	33.0		198
12x400	37.7		226
16x160	20.1		121
16x165	20.7		124
16x170	21.4		128
16x175	22.0		132
16x180	22.6		136
16x190	23.9		143
16x200	25.1		151
16x230	28.9		173
16x250	31.4		188
16x300	37.7		226
16x350	44.0		264

## ワイド平鋼

寸法(mm) txb	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
16x400	50.2		301
19x170	25.4		152
19x175	26.1		157
19x180	26.8		161
19x200	29.8		179
19x250	37.3		224
19x300	44.7		268
19x350	52.2		313
19x400	59.7		358
22x180	31.1		187
22x200	34.5		207
22x250	43.2		259
22x300	51.8		311
22x350	60.4		362
22x400	69.1		415
25x200	39.2		235
25x250	49.1		295
25x300	58.9		353
25x350	68.7		412
25x400	78.5		471
28x200	44.0		264
28x250	55.0		330
28x300	65.9		395
28x350	76.9		461
28x400	87.9		527
32x200	50.2		301
32x250	62.8		377
32x300	75.4		452
32x350	87.9		527
32x400	100		600



## 角鋼

寸法(mm) 辺A	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
9.52	0.711	3.91	4.27
12.7	1.27	6.98	7.62
16	2.01	11.1	12.1
19	2.83	15.6	17.0
22	3.80	20.9	22.8
25	4.91	27.0	29.5
28	6.15	33.8	36.9
32	8.04	44.2	48.2
36	10.2	56.1	61.2
38	11.3	62.2	67.8
44	15.2	83.6	91.2
50	19.6	108	118
55	23.7	130	142
60	28.3	156	170
65	33.2	183	199
70	38.5	212	231
75	44.2	243	265
90	63.6	350	382
100	78.5	432	471
110	95.0	522	570
120	113	622	678
130	133	732	798
140	154	847	924
150	177	974	1062

## 丸鋼

D径(mm)	単位重量 (kg/m)	1本の重量(kg)	
		5.5m	6m
6	0.222	1.22	1.33
9	0.499	2.74	2.99
13	1.04	5.72	6.24
16	1.58	8.69	9.48
19	2.23	12.3	13.4
22	2.98	16.4	17.9
25	3.85	21.2	23.1
28	4.83	26.6	29.0
32	6.31	34.7	37.9
36	7.99	43.9	47.9
38	8.90	49.0	53.4
42	10.9	60.0	65.4
44	11.9	65.4	71.4
46	13.0	71.5	78.0
50	15.4	84.7	92.4



## H形鋼

標準断面寸法			単位重量 kg/m	1本の重量							
HxB	t1	t2		6m	7m	8m	9m	10m	11m	12m	13m
100x50	5	7	9.3	55.8	65.1	74.4	93.7	93	102	112	
125x60	6	8	13.1	78.6	91.7	105	118	144	144	157	
150x75	5	7	14.0	84	98	112	126	140	154	168	182
175x90	5	8	18.0	108	126	144	162	180	198	216	234
198x99	4.5	7	17.8	107	125	142	160	178	196	214	231
200x100	5.5	8	20.9	125	146	167	188	209	230	251	272
248x124	5	8	25.1	151	176	201	226	251	276	301	326
250x125	6	9	29.0	174	203	232	261	290	319	348	377
298x149	5.5	8	32.0	192	224	256	288	320	352	384	416
300x150	6.5	9	36.7	220	257	294	330	367	404	440	477
346x174	6	9	41.2	247	288	330	371	412	453	494	536
350x175	7	11	49.4	296	346	395	445	494	543	593	642
396x199	7	11	56.1	337	393	449	505	561	617	673	729
400x200	8	13	65.4	392	458	523	589	654	719	785	850
446x199	8	12	65.1	391	456	521	586	651	716	781	846
450x200	9	14	74.9	449	524	599	674	749	824	899	974
469x199	9	14	77.9	467	545	623	701	779	857	935	1,013
500x200	10	16	88.2	529	617	706	794	882	970	1,058	1,147
596x199	10	15	92.5	555	648	740	832	925	1,018	1,110	1,202
600x200	11	17	103	618	721	824	927	1,030	1,133	1,236	1,339
100x100	6	8	16.9	101	118	135	152	169	186	203	220
125x125	6.5	9	23.6	142	165	189	212	236	260	283	307
150x150	7	10	31.1	187	218	249	280	311	342	373	404
175x175	7.5	11	40.4	242	283	323	364	404	444	485	525
200x200	8	12	49.9	299	349	399	449	499	549	599	649
250x250	9	14	71.8	431	503	574	646	718	790	862	933
300x300	10	15	93.0	558	651	744	837	930	1,023	1,116	1,209
350x350	12	19	135	810	945	1,080	1,215	1,350	1,485	1,620	1,755
400x400	13	21	172	1,032	1,204	1,376	1,548	1,720	1,892	2,064	2,236
148x100	6	9	20.7	124	145	166	186	207	228	248	269
194x150	6	9	29.9	179	209	239	269	299	329	359	389
244x175	7	11	43.6	262	305	349	392	436	480	523	567
294x200	8	12	55.8	335	391	446	502	558	614	670	725
340x250	9	14	78.1	469	547	625	703	781	859	937	1,015
390x300	10	16	105	630	735	840	945	1,050	1,155	1,260	1,365
440x300	11	18	121	726	847	968	1,089	1,210	1,331	1,452	1,573
482x300	11	15	111	666	777	888	999	1,110	1,221	1,332	1,443
488x300	11	18	125	750	875	1,000	1,125	1,250	1,375	1,500	1,625
582x300	12	17	133	798	931	1,064	1,197	1,330	1,463	1,596	1,729
588x300	12	20	147	882	1,029	1,176	1,323	1,470	1,617	1,764	1,911
692x300	13	20	163	978	1,141	1,304	1,467	1,630	1,793	1,956	2,119
700x300	13	24	182	1,092	1,274	1,456	1,638	1,820	2,002	2,184	2,366
800x300	14	26	207	1,242	1,449	1,656	1,863	2,070	2,277	2,484	2,691
900x300	16	28	240	1,440	1,680	1,920	2,160	2,400	2,640	2,880	3,120





## I 形鋼

標準断面寸法			単位重量 kg/m	1本の重量							
HxB	t1	t2		5.5m	6m	7m	8m	9m	10m	11m	12m
100x75	5	8	12.9	71	77.4	90.3	103	116	129	142	155
125x75	5.5	9.5	16.1	88.6	96.6	113	129	145	161	177	193
150x75	5.5	9.5	17.1	94	103	120	137	154	171	188	205
150x125	8.5	14	36.2	199	217	253	290	326	362	398	434
180x100	6	10	23.6	130	142	165	189	212	236	260	283
200x100	7	10	26.0	143	156	182	208	234	260	286	312
200x150	9	16	50.4	277	302	353	403	454	504	554	605
250x125	7.5	12.5	38.3	211	230	268	306	345	383	421	460
250x125	10	19	55.5	305	333	389	444	500	555	610	666
300x150	8	13	48.3	266	290	338	386	435	483	531	580
300x150	10	18.5	65.5	360	393	458	524	590	655	720	786
300x150	11.5	22	76.8	422	461	538	614	691	768	845	922
350x150	9	15	58.5	322	351	407	468	526	585	644	702
350x150	12	24	87.2	480	523	610	698	785	872	959	1,046
400x150	10	18	72.0	396	432	504	576	648	720	792	864
400x150	12.5	25	95.8	527	575	671	766	862	958	1,054	1,150
400x175	11	20	91.7	504	550	642	734	825	917	1,009	1,100
400x175	13	26	115	632	690	805	920	1,035	1,150	1,265	1,380
600x190	13	25	133	732	798	931	1,064	1,197	1,330	1,463	1,596
600x190	16	35	176	968	1,056	1,232	1,408	1,584	1,760	1,936	2,112

## 軽量H形鋼 (カラー)

サイズ	kg/m	7m	8m	9m	10m	11m	12m
3.2/4.5x150x75	8.84	61.9	70.7	79.6	88.4	97.2	106
3.2/4.5x150x100	10.6	74.2	84.8	95.4	106	117	127
3.2/4.5x175x90	10.5	73.5	84	94.5	105	116	126
3.2/4.5x200x100	11.9	83.3	95.2	107	119	131	143
3.2/6.0x200x100	14.1	98.7	113	127	141	155	169
3.2/4.5x250x125	14.9	104	119	134	149	164	179
4.5/6.0x250x125	20.2	141	162	182	202	222	242
3.2/4.5x300x150	17.9	125	143	161	179	197	215
4.5/6.0x350x175	24.3	170	194	219	243	267	292
4.5/6.0x400x200	28.4	199	227	256	284	312	341

## レール

種類	単位重量 kg/m	長さ(m)	
		5.5	10.0
6kg	5.98	32.9	
9kg	8.94	49.2	
10kg	10.1	55.6	
12kg	12.2		122
15kg	15.2		152
22kg	22.3		223
30kg	30.1		301
37kg	37.2		372



# 中径角 角パイプ

サイズ	肉厚 t(mm)	単重 kg/m	黒										カラー						先メッキ					
			6	7	8	9	10	11	12	6	7	8	9	10	11	12	6	7	8	9	10			
50x50	1.6	2.38	○		○								●		●					○		○		
	2.3	3.34	○		○								●		●		●			○		○		
	3.2	4.50	○		○								●		●					○		○		
	4.5	6.02	○		○															○				
	6.0	7.56	○		○																			
60x60	1.6	2.88	○										●							○				
	2.3	4.06	○		○								●		●		●			○		○		
	3.2	5.50	○		○								●		●					○		○		
	4.5	7.43	○		○																			
	6.0	9.45	○		○																			
75x75	2.3	5.14	○		○		○						●	●	●	●	●	●	●	○		○		○
	3.2	7.01	○		○		○						●		●		●			○		○		
	4.5	9.55	○		○		○						●		●									
	6.0	12.3	○		○																			
	8.0	15.5	○																					
80x80	2.3	5.50	○		○																			
	3.2	7.51	○		○																			
	4.5	10.3	○		○																			
	6.0	13.2	○																					
	90x90	2.3	6.23	○																				
3.2		8.51	○		○																			
4.5		11.7	○																					
6.0		15.1	○																					
100x100		1.6	4.89	○		○								●		●								
	2.3	6.95	○	○	○	○	○						●	●	●	●	●	●	●	○	○	○	○	○
	3.2	9.52	○	○	○	○	○						●	●	●	●	●	●	●	○		○		○
	4.5	13.1	○	○	○	○	○						●	●	●	●	●	●	●	○		○		
	6.0	17.0	○	○	○	○	○	○	○	○			●		●		●			○				
	9.0	24.1	○	○	○	○	○																	
125x125	12.0	30.2	○		○																			
	2.3	8.75	○		○								●		●									
	3.2	12.0	○	○	○	○	○						●	●	●	●	●	●	●	○		○		
	4.5	16.6	○	○	○	○	○						●	●	●	●	●	●	●	○		○		
	6.0	21.7	○	○	○	○	○	○	○	○			●		●		●			○		○		
	9.0	31.1	○	○	○	○	○																	
150x150	12.0	39.7	○	○	○	○	○	○		○														
	3.2	14.5	○		○																			
	4.5	20.1	○	○	○	○	○						●	●	●	●	●	●	●	○		○		
	5.0	22.3	○		○																			
	6.0	26.4	○	○	○	○	○	○	○	○			●	●	●	●	●	●	●			○		
175x175	9.0	38.2	○	○	○	○	○		○															
	12.0	49.1	○	○	○		○		○															
	4.5	23.7	○																					
	6.0	31.1	○	○	○	○	○		○				●		●									
	9.0	45.3	○	○	○	○	○		○															
200x200	12.0	58.5	○		○		○		○															
	4.5	27.2	○		○		○																	

# 中径角 角パイプ

サイズ 長方形	肉厚 t(mm)	単重 kg/m	黒										カラー										先メッキ				
			6	7	8	9	10	11	12	6	7	8	9	10	11	12	6	7	8	9	10						
60x30	1.6	2.13	○										●								○						
	2.3	2.98	○		○								●		●						○		○				
	3.2	3.99	○		○								●		●						○						
	4.5	5.31	○																								
74x45	2.3	4.06	○	○	○								●		●		●				○		○				
	3.2	5.50	○	○	○								●		●						○						
	4.5	7.43	○																								
75x50	4.5	7.79	○																								
	6.0	9.92	○																								
100x50	2.3	5.14	○		○		○						●		●		●		●		○	○	○	○	○		
	3.2	7.01	○		○	○	○						●		●		●				○	○					
	4.5	9.55	○		○		○						●		●						○						
	6.0	12.3	○		○																						
125x75	2.3	6.95	○		○								●		●												
	3.2	9.52	○		○		○						●		●												
	4.5	13.1	○		○								●														
	6.0	17.0	○		○		○																				
150x75	9.0	24.1	○																								
	3.2	10.8	○		○		○						●		●		●										
	4.5	14.9	○	○	○																						
	6.0	19.3	○		○																						
150x80	9.0	27.6	○																								
	4.5	15.2	○		○																						
	6.0	19.8	○		○																						
150x100	3.2	12.0	○		○		○						●		●		●										
	4.5	16.6	○		○		○						●		●		●										
	6.0	21.7	○		○		○		○																		
	9.0	31.1	○		○		○																				
200x100	12.0	39.7	○																								
	3.2	14.5	○		○																						
	4.5	20.1	○		○	○	○						●		●		●										
	6.0	26.4	○		○	○	○		○																		
200x150	9.0	38.2	○		○		○		○																		
	12.0	49.1	○		○		○		○																		
	4.5	23.7	○		○																						
	6.0	31.1	○		○																						
200x150	9.0	45.3	○		○		○		○																		
	12.0	58.5	○		○																						



## スモール角（黒）

サイズ	4.0M (kg)	サイズ	6.0M (kg)
1.0x9x9	1.16	2.0x40x40	14.5
サイズ	5.5M (kg)	サイズ	5.5M (kg)
1.2x11x11	2.39	1.2x22x10	3.42
1.6x13x13	3.80	1.2x25x12	3.94
1.2x14x14	2.92	1.6x25x12	5.16
1.2x16x16	3.42	1.6x28x18	6.54
1.6x16x16	4.47	1.2x30x20	4.98
1.2x19x19	3.94	1.6x30x20	6.54
1.6x19x19	5.16	1.2x32x14	4.98
1.2x21x21	4.46	1.6x32x14	6.54
1.6x21x21	5.88	1.2x40x16	6.0
1.6x24x24	6.54	1.6x40x16	7.92
1.2x25x25	5.34	1.2x40x20	6.00
1.6x25x25	7.04	1.6x40x20	7.92
1.6x26x26	6.54	1.2x40x25	6.76
1.2x28x28	6.0	1.6x40x25	8.91
1.6x28x28	7.92	1.6x50x26	10.7
1.2x31x31	6.0	1.6x50x30	10.7
1.6x31x31	7.92	1.6x60x30	12.8
1.2x32x32	6.76	1.6x70x30	13.4
1.6x32x32	8.91	1.6x80x40	16.2
1.6x38x38	10.7		
1.6x40x40	10.7		
1.6x45x45	12.3		

## スーパースモール角（黒）

サイズ	6.0M (kg)
2.3x25x25	10.0
2.3x30x30	12.2
3.2x30x30	16.5
3.2x35x35	19.8
2.3x40x40	15.7
3.2x40x40	21.5
2.3x45x45	18.6
2.3x30x20	10.0
2.3x40x20	12.2
2.3x50x30	15.7
2.3x60x40	20.0
3.2x60x40	28.6
2.3x75x20	19.8
2.3x80x40	25.2
3.2x80x40	34.6
2.3x90x30	25.2
3.2x90x30	34.6
3.2x90x45	29.2
3.2x90x45	40.0

## コラム

サイズ	BCR295 (kg/m)	STKR400 (kg/m)
4.5x200x200		27.2
6.0x200x200	35.6	35.8
8.0x200x200	46.5	46.9
9.0x200x200	51.8	52.3
12.0x200x200	67.0	67.9
6.0x250x250	45.0	45.2
9.0x250x250	65.9	66.5
12.0x250x250	85.8	86.8
16.0x250x250	111	112
6.0x300x300	54.4	54.7
9.0x300x300	80.1	80.6
12.0x300x300	105	106
16.0x300x300	136	138
19.0x300x300	158	160
9.0x350x350	94.2	94.7
12.0x350x350	123	124
16.0x350x350	161	163
19.0x350x350	188	190
22.0x350x350	214	217
9.0x400x400	108	109
12.0x400x400	142	143
16.0x400x400	186	188
19.0x400x400	218	220
22.0x400x400	248	251
25.0x400x400		282
12.0x450x450	161	162
16.0x450x450	211	213
19.0x450x450	247	250
22.0x450x450	283	286
25.0x450x450		321
12.0x500x500	180	181
16.0x500x500	236	238
19.0x500x500	277	280
22.0x500x500	317	320
25.0x500x500		360
16.0x550x550	261	263
19.0x550x550	307	310
22.0x550x550	352	355
25.0x550x550		399

## BCR角パイプ

サイズ	肉厚 t(mm)	重量 (kg/m)
150x150	6.0	26.2
	9.0	37.7
	12.0	48.1
175x175	6.0	30.9
	9.0	44.7
	12.0	57.5

## 鋼板 (ムキ)

厚さ(mm)	単位重量 (kg/m <sup>2</sup> )	1枚の重量(kg)		
		914x1829	1219x2438	1524x3048
1.6	12.56	21.0	37.3	58.3
2.3	18.06	30.2	53.7	83.9
3.2	25.12	42.0	74.7	117
4.5	35.32	59.1	105	164
6	47.1	78.8	140	219
9	70.65	118	210	328
12	94.2	158	280	438
16	125.6	210	373	583
19	149.2	249	443	693
22	172.7	289	513	802
25	196.2	328	583	911

## 縞鋼板 (ムキ)

板厚(mm)	単位重量 kg/m <sup>2</sup>	1枚の重量(kg)		
		914X1829	1219X2438	1524X3048
2.3	19.73	33.0	58.6	
3.2	26.79	44.8	79.6	124
4.5	36.99	61.8	110	172
6	48.77	81.5	145	227
9	72.32	121	215	336
12	95.87	160	285	445



## エキスパンドメタル

記号	単位重量 kg/m <sup>2</sup>	1枚の重量(kg)		
		914X1829	1219X2438	1524X3048
XG 11	14.5	24.2	43.1	67.4
XG 12	19.4	32.4	57.7	90.1
XG 13	24.9	41.6	74.0	116
XG 14	33.2	55.5	98.7	154
XG 21	13.7	22.9	40.7	63.6
XG 22	18.3	30.6	54.4	85.0
XG 23	23.6	39.5	70.1	110
XG 24	31.4	52.5	93.3	146
XS 31	2.36	3.95	7.01	11.0
XS 32	4.19	7.01	12.5	19.5
XS 33	9.03	15.1	26.8	41.9
XS 41	2.28	3.81	6.78	10.6
XS 42	4.10	6.86	12.2	19.0
XS 43	8.0	13.4	23.8	37.2
XS 61	3.19	5.33	9.48	
XS 62	5.91	9.88	17.6	
XS 63	10.4	17.4	30.9	48.3



## アンチスリップ鋼板

板厚(mm)	寸法(mm)		重量(kg/枚)	
	幅	長さ	片面(KST)	両面(KSR)
1.6	914	1829	19.9	
2.0	914	1829	24.9	
3.2	914	1829	39.5	37.1
3.2	1219	2438	70.1	65.6
3.2	1524	3048	110	103
4.5	914	1829	55.6	52.2
4.5	1219	2438	98.6	92.2
4.5	1524	3048	154	145
6.0	914	1829	74.2	69.6
6.0	1219	2438	131	123
6.0	1524	3048	206	193



## 敷板

厚さ(mm)	単位重量 (kg/m <sup>2</sup> )	1枚の重量(kg)	
		1524x3048 (5x10)	1524x6096 (5x20)
22	172.7	802	1,604

吊穴加工受けたまわります。

## STK400(一般構造用炭素鋼鋼管)

寸法	M/単重	5.5M	6.0M	12.0M
21.7x1.9	0.928	○	○	
21.7x2.3	1.10	○	○	
21.7x2.8	1.31		○	
27.2x1.9	1.19	○	○	
27.2x2.3	1.41	○	○	
27.2x2.8	1.68	○	○	
34.0x2.3	1.80	○	○	
34.0x3.2	2.43	○	○	
42.7x2.3	2.29	○	○	
42.7x3.2	3.12	○	○	
42.7x3.5	3.38		○	
48.6x2.3	2.63	○	○	
48.6x3.2	3.58	○	○	○
48.6x3.5	3.89		○	○
60.5x2.3	3.3	○	○	○
60.5x2.8	3.98	○	○	○
60.5x3.2	4.52	○	○	○
60.5x3.8	5.31	○	○	○
60.5x4.9	6.72		○	
60.6x5.5	7.46		○	○
76.3x2.8	5.08	○	○	○
76.3x3.2	5.77	○	○	○
76.3x4.2	7.47	○	○	○
76.3x5.2	9.12		○	○
76.3x7.0	12.0		○	○
89.1x2.8	5.96	○	○	○
89.1x3.2	6.78	○	○	○
89.1x4.2	8.79	○	○	○
89.1x5.5	11.3		○	○
89.1x7.6	15.3			○
101.6x3.2	7.76	○	○	○
101.6x3.5	8.47		○	○
101.6x4.2	10.1	○	○	○
101.6x5.7	13.5		○	○
101.6x8.1	18.7			○

寸法	M/単重	5.5M	6.0M	12.0M
114.3x3.5	9.56	○	○	○
114.3x4.5	12.2	○	○	○
114.3x6.0	16		○	○
114.3x8.6	22.4			○
139.8x3.5	11.8	○	○	○
139.8x4.0	13.4		○	○
139.8x4.5	15.0	○	○	○
139.8x6.0	19.8		○	○
139.8x6.6	21.7		○	○
139.8x9.5	30.5			○
165.2x3.7	14.7	○	○	○
165.2x4.5	17.8		○	○
165.2x5.0	19.8	○	○	○
165.2x6.0	23.6		○	○
165.2x7.1	27.7		○	○
165.2x9.3	35.8			○
165.2x11.0	41.8			○
190.7x4.5	20.7		○	
190.7x5.3	24.2		○	○
190.7x7.0	31.7			○
216.3x4.5	23.5		○	○
216.3x5.8	30.1	○	○	○
216.3x7.0	36.1			○
216.3x8.2	42.1		○	○
216.3x10.3	52.3			○
216.3x12.7	63.8			○
216.3x15.0	74.5			○
241.8x6.2	36.0			○
267.4x5.8	37.4			○
267.4x6.0	38.7			○
267.4x6.6	42.4			○
267.4x7.8	49.9			○
267.4x9.3	59.2			○
267.4x12.7	79.8			○
267.4x15.1	93.9			○



## STK400(一般構造用炭素鋼鋼管)

寸法	M/単重	5.5M	6.0M	12.0M
318.5x6.0	46.2			○
318.5x6.9	53			○
318.5x7.9	60.5			○
318.5x9.5	72.4			○
318.5x10.3	78.3			○
318.5x12.7	95.8			○
318.5x14.3	107			○
318.5x17.4	129			○
355.6x6.4	55.1			○
355.6x7.9	67.7			○
355.6x9.5	81.1			○
355.6x11.1	94.3			○
355.6x12.7	107			○
355.6x15.1	127			○
355.6x16.0	134			○
355.6x19.0	158			○
355.6x22.0	181			○
406.4x6.4	63.1			○
406.4x7.9	77.6			○
406.4x9.5	93.0			○
406.4x12.7	123			○
406.4x16.0	154			○
406.4x19.0	182			○
406.4x22.0	209			○
457.2x6.4	71.1			○
457.2x7.9	87.5			○
457.2x9.5	105			○
457.2x12.7	139			○
457.2x14.3	156			○
457.2x16.0	174			○
457.2x19.0	205			○
457.2x22.0	236			○
508.0x6.4	79.2			○
508.0x7.9	97.4			○
508.0x9.5	117			○
508.0x12.7	155			○
508.0x16.0	194			○
508.0x19.0	229			○
508.0x22.0	264			○

## SGP(配管用炭素鋼鋼管)

A	外径	肉厚	M/単重	定尺5.5M
6A	10.5	2	0.429	2.36
8A	13.8	2.3	0.652	3.59
10A	17.3	2.3	0.851	4.68
15A	21.7	2.8	1.31	7.20
20A	27.2	2.8	1.68	9.24
25A	34	3.2	2.43	13.4
32A	42.7	3.5	3.38	18.6
40A	48.6	3.5	3.89	21.4
50A	60.5	3.8	5.31	29.2
65A	76.3	4.2	7.47	41.1
80A	89.1	4.2	8.79	48.3
90A	101.6	4.2	10.1	55.6
100A	114.3	4.5	12.2	67.1
125A	139.8	4.5	15.0	82.5
150A	165.2	5	19.8	109
175A	190.7	5.3	24.2	133
200A	216.3	5.8	30.1	166
225A	241.8	6.2	36.0	198
250A	267.4	6.6	42.4	233
300A	318.5	6.9	53.0	292
350A	355.6	7.9	67.7	372
400A	406.4	7.9	77.6	427
450A	457.2	7.9	87.5	481
500A	508	7.9	97.4	536



## リップ溝形鋼（C形鋼）

寸法(mm) t x H x A x C	単位重量 kg/m	長さ(m)						
		6	7	8	9	10	11	12
1.6x60x30x10	1.63	9.78		13.0		16.3		
2.3x60x30x10	2.25	13.5		18.0		22.5		
1.6x75x45x15	2.32	13.9		18.6		23.2	25.5	27.8
2.3x75x45x15	3.25	19.5	22.8	26.0	29.2	32.5	35.8	39.0
1.6x100x50x20	2.88	17.3	20.2	23.0	25.9	28.8	31.7	34.6
2.3x100x50x20	4.06	24.4	28.4	32.5	36.5	40.6	44.7	48.7
3.2x100x50x20	5.5	33.0	38.5	44.0	49.5	55	60.5	66.0
3.2x120x60x20	6.51			52.1	58.6	65.1	71.6	78.1
3.2x125x50x20	6.13	36.8		49.0	55.2	61.3	67.4	73.6
3.2x150x50x20	6.76	40.6		54.1	60.8	67.6	74.4	81.1
3.2x150x65x20	7.51			60.1	67.6	75.1	82.6	90.1
3.2x150x75x20	8.01			64.1	72.1	80.1	88.1	96.1
3.2x200x75x20	9.27	55.6		74.2	83.4	92.7	102	111

## 軽量溝形鋼


寸法(mm) t x H x A	単位重量 kg/m	長さ(m)	
		6	8
1.6x40x20	0.939	5.63	7.51
2.3x40x20	1.31	7.86	10.5
3.2x40x40	2.75	16.5	22
1.6x60x30	1.44	8.64	11.5
2.3x60x30	2.03	12.2	16.2
2.3x80x40	2.75	16.5	22.0
2.3x100x40	3.11	18.7	24.9
3.2x100x40	4.26	25.6	34.1
2.3x100x50	3.47	20.8	27.8
3.2x100x50	4.76	28.6	38.1
3.2x120x40	4.76	28.6	38.1
3.2x150x50	6.02	36.1	48.2
4.5x150x50	8.31	49.9	66.5
4.5x150x75	10.1	60.6	80.8
6.0x150x75	13.2	79.2	106
3.2x200x50	7.27	43.6	58.2
4.0x200x50	9.0	54.0	72.0
4.5x200x50	10.1	60.6	80.8
6.0x200x50	13.2	79.2	106
4.5x200x75	11.8	70.8	94.4
6.0x200x75	15.6	93.6	125
4.0x250x50	10.6	63.6	84.8
4.5x250x50	11.8	70.8	94.4
4.5x250x75	13.6	81.6	109
6.0x250x75	17.9	107	143
4.0x300x50	12.1	72.6	96.8
4.5x300x50	13.6	81.6	109
4.5x350x50	15.4	92.4	123
4.5x400x75	18.9	113	151
6.0x400x75	25.0	150	200
4.5x450x75	20.7	124	166
6.0x450x75	27.3	164	218



カラーリップ溝形鋼


藤田金属(株)新潟鋼板センター  
形鋼倉庫案内図

〒950-3101  
新潟市太郎代1345-5  
TEL 025 (245) 6621  
FAX 025 (245) 6625



 **藤田金属株式会社**

建材・厚板事業部 厚板・形鋼部



**新潟鋼板センター**

〒950-0881 新潟市東区榎町52番地1  
TEL 025-275-0221  
FAX 025-275-1316